



**HUOJU
HYDRAULIC**

**MACHINE
CO.,LTD.**

Located in Jinjiang Wuli Industrial Zone, JINJIANG CITY HUOJU HYDRAULIC MACHINE CO., LTD. enjoys a convenient transportation. The company specialized in manufacturing all kinds of hydraulic press machines in shoe industry. It relies on technology and keeps innovation, it earns popularity and reputation from its users after more than a decade's efforts & developments.

The main machines: Automatic hydraulic press machine for rubber sole, EVA granule press moulding machine, EVA two-time foam moulding machine, 150-250 tons EVA mini foam moulding machine & 300-2500 tons Automatic hydraulic foam press machine for EVA, RUBBER, PVC & SPONGE. There are four series with over 10 products. "Quanxing" gains great reputation from its products with high quality and excellent performance. Our products enjoys the majority of the market share in the industry in domestic market and has been exported to many countries as well. It helps users to lower production cost and improve.

With over 100 employees, the company has a registered capital of RMB 25 million. Covered with an area of 20000m², it has office building, machine processing workshop, electric welding workshop and assembling workshop. The building area is about 40000m², including more than 4000m² for dining room and dormitory. There is nice working environment in our factory.

The company always follows the managerial philosophy of "technology creates value, honesty and credit for perpetual operation". We will keep developing producing new and innovative machines to meet market demand. All friends from home and abroad are warmly welcome for any further inquiries and business negotiation.

晋江市火炬液压机械有限公司位于交通便利的晋江市五里工业区，是一家专业生产各种鞋底液压成型机的企业。公司坚持以科技为依托，不断进行技术革新，经过十多年的发展，赢得了广大用户的一致好评，拥有颇高的行业知名度和信誉度。

公司目前的主要产品有：橡胶鞋底自动液压机、EVA粒压发泡成型机、EVA二次发泡成型机、150吨至250吨EVA小发泡成型机、300吨至2500吨EVA大发泡成型机等，已形成四大系列、十余种产品。多年来，“泉兴”品牌不断深入人心，产品一直以品质优良、性能优越而著称，销往全国各大制鞋基地，为广大鞋类生产企业降低生产成本、提高产品质量做出了实实在在的贡献。

公司现有员工100余名，注册资金2500万元，占地面积近20000m²，拥有办公楼、机加工车间、电焊车间、装配车间等生产用房，建筑面积近40000m²，建有员工食堂、宿舍等4000余m²，工作环境良好。

公司始终坚持“科技创造价值，诚信永续经营”的管理理念，不断进行新产品开发和市场开拓，热诚欢迎社会各界人士垂询及洽谈业务！

A BRIEF INTRODUCTION 公司简介

TO THE COMPANY

Create a modernized enterprise with

top ranking management, top ranking quality, and top ranking benefit with brand-new management ideology and dealing concept. 以全新的管理思想和经营理念，创管理一流、质量一流、效益一流的现代化企业。

QUANXING
SPIRITUAL
CONTINUOUS
INNOVATION
2014
泉兴精神 不断创新





Huoju
Hydraulic
Machine

QUANXING

安全生产是我们的责任，不懈努力
是我们的做法。
完善品质是我们的要求。
以负责，竭实精神换取成功的产品。

Safety in production is our liability,
persistent effort is our style and perfect quality is our demand.
Obtain successful
products with responsible and steady spirit.



HUOJU HYDRAULIC MACHINE

"Solidarity, realism, innovation and high efficiency" are the spirit of our enterprise.
"团结、求实、创新、高效"是我们的企业精神。

WITH SUPERIOR
PRODUCTIVITY
AS THE BASIS
OF THE ENTERPRISE,
AND INNOVATION
TECHNOLOGY AS DRIVE,
COMFORT SERVICE,
AND COMPREHENSIVE
ENJOYMENT,
GLOBAL TRUST
AND GOOD PRODUCTS.

面对未来的挑战，泉兴机械致力于制造性能更好，质量更可靠，价格更合理的产品，进一步加大产品技术及应用的研发和创新力度，为我们的客户、为社会创造更高的价值而不懈努力。

Face with future challenges, our company is committed to providing more affordable products with better performance & better quality. We will further increase R&D and product innovation and technology application, we will make every effort to create greater role for our clients and our society.



Huoju
Hydraulic
Machine

以超强生产力为企业基础，
以创新科技为企业动力，
舒适服务，
享受全方位，
全球信赖的优质产品。

QUANXING / Page. 05/06



HUOJU HYDRAULIC MACHINE

以质量求生存，
以信誉求发展，
永远满足合同规定及潜在需求。
To exist depending
on the quality,
and to develop relying
on the credit standing,
meet the provisions
of the bargain
and the potential
needs forever.



生命的延续，在于突破创新。泉
兴企业的发展同样离不开创造与
更新。事物没有一成不变的规律
和标准。只有创新才能走在潮流
的前端，这是永恒的定律。

Life's progress relies on
breakthroughs and innovation,
which are also indispensable to
Quanxing development. There are
no invariable rules and standards.
Only by innovation we can stand
at the most front of the trend,
which is an eternal rule.





01

EVA HYDRAULIC FOAMING PRESS MACHINE
EVA发泡油压机



EVA HYDRAULIC FOAMING PRESS MACHINE
EVA发泡油压机



02



03

AUTOMATIC HYDRAULIC PRESS MACHINE FOR RUBBER SOLE
橡胶鞋底自动油压机



EVA MINI FOAM MOULDING MACHINE
EVA小发泡成型机



04

EVA TWO-TIME FOAM MOULDING MACHINE
EVA二次发泡成型机



05



06



EVA MINI FOAM MOULDING MACHINE
EVA小发泡成型机

AUTOMATIC HYDRAULIC PRESS MACHINE FOR RUBBER SOLE
全自动橡胶鞋底油压机



07



08


AUTOMATIC EVA TWO-TIME FOAM MOULDING MACHINE
全自动EVA二次发泡成型机



EVA HYDRAULIC FOAMING PRESS MACHINE

EVA发泡油压机

01



Jinjiang City
Huoju Hydraulic machine
Co.,Ltd.

Website:
www.qxyjx.com

E-mail:
quanxingjx@shoesnet.cn

EVA HYDRAULIC FOAMING PRESS MACHINE ● EVA发泡油压机

技术参数/Technical Parameters:

热板、间距及柱内等，尺寸可依实际需求特殊处理。

Model 型号	Mould clamping force 油压缸总出力(Tons)	Mould space 热板尺寸(mm×mm)	Daylight between plates 间距(mm)	Layer number 层数	Size of pillar 支柱(mm)
QXEA-32	1000	1300x1500	180	6	1600
QXEA-33	1100	1400x1700	180	6	1800
QXEA-33B	1100	1300x1500	160	6	1600
QXEA-33C	1100	1300x1600	160	6	1700
QXEA-36	1300	1500x2000	180	6	1800
QXEA-36B	1300	1400x1700	180	6	1800
QXEA-38	1500	1500x2000	180	6	2000
QXEA-38B	1500	1300x1450	100	10	1500
QXEA-40	1600	1400x1800	180	6	1800
QXEA-40B	1600	1500x2000	180	6	2000
QXEA-40C	1600	1500x2400	180	6	2000
QXEA-40D	1600	1500x2600	180	5	2200
QXEA-46	2300	1500x2300	180	6	2000
QXEA-46B	2300	1600x3000	200	6	2200

特性 . Features :

- 按钮自动上升，洩气保压计时洩压（序自动控制操作）
- 上升快，长时间保持压力，加硫中压力自动升高，确保品质。
- 特制急速洩放洩阀门，开模下降，速度特快，并可自由调整。
- 洩压速度及洩压后延时开模，可依成品之特性及厚薄自己调整快慢，适合于新产品之开发，提高品质。
- 特殊设计热板，热度均匀。
- 不论全自动或半自动机型，均具有上列特点。

- Automatic ascending, bumping, pressurization and descending operations.
- High speed ascending, pressure retaining for better product quality.
- Quick release valve for quick descending but incorporates adjustable speed.
- Depressurization can be adjusted to suit thickness of products.
- Special designed platens for even heating area.
- The above features can be incorporated in automatic and Semi-Automatic machines.

用途 . Usages :

- E.V.A.或P.V.C.发泡板或海绵鞋。
- 橡胶发泡海绵鞋底。
- 其他工业用橡胶产品。

- E.V.A. or P.V.C. foaming plate or beach shoes.
- Foam & Sponge rubber sole.
- Other industrial rubber products.



EVA HYDRAULIC FOAMING PRESS MACHINE

EVA发泡油压机

02



Jinjiang City
Huoju Hydraulic machine
Co.,Ltd.

Website:
www.qxyjx.com

E-mail:
quanxingjx@shoesnet.cn

EVA HYDRAULIC FOAMING PRESS MACHINE ● EVA发泡油压机

技术参数/Technical Parameters:

热板、间距及柱内...等,尺寸可依实际需求特殊处理。

Model 型号	Mould clamping force 油压缸总出力(Tons)	Mould space 热板尺寸(mmxmm)	Daylight between plates 间距(mm)	Layer number 层数	Size of pillar 支柱(mm)
QXEA-18	300	800x1000	150	4	1000
QXEA-22B	500	1000x1200	150	5	1180
QXEA-32	1000	1300x1500	180	6	1600

特性 . Features :

- A.按钮自动上升, 洩气保压计时洩压(序自动控制操作)
- B.上升快, 长时间保持压力, 加硫中压力自动升高, 确保品质。
- C.特制急速洩放洩阀门, 开模下降, 速度特快, 并可自由调整。
- D.洩压速度及洩压后延时开模, 可依成品之特性及厚薄自己调整快慢, 适合于新产品之开发, 提高品质。
- E.特殊设计热板, 热度均匀。
- F.不论全自动或半自动机型, 均具有上列特点。

- A. Automatic ascending, bumping, pressurization and descending operations.
- B. High speed ascending, pressure retaining for better product quality.
- C. Quick release valve for quick descending but incorporates adjustable speed.
- D. Depressurization can be adjusted to suit thickness of products.
- E. Special designed platens for even heating area.
- F. The above features can be incorporated in automatic and Semi-Automatic machines.

用途 . Usages :

- 1. EVA或P.V.C.发泡板或海绵鞋。
- 2. 橡胶发泡海绵鞋底。
- 3. 其他工业用橡胶产品。

- 1. EVA or P.V.C. foaming plate or beach shoes.
- 2. Foam & Sponge rubber sole.
- 3. Other industrial rubber products.



AUTOMATIC HYDRAULIC PRESS MACHINE FOR RUBBER SOLE

橡胶鞋底自动油压机

03


技术参数/Technical Parameters:

Model 型号	Mould clamping force 油压缸总出力(Tons)	Mould space 热板尺寸(mmxmm)	Daylight between plates 间距(mm)	Layer number 层数	Heating way 加热方式	Horse power 马达(HP)
QXRB-6S-150T	150	450x500	180	2	蒸汽、电加热 Steam, Electric	20

特性/Features:

1. 独特的机身结构设计，不断裂、不变形，延长机台寿命。
2. 采用PC和PLC控制器，可分别独立操作，互不干涉牵制。
3. 放气次数、放气时间可自由设定，操作调整均甚便捷。
4. 卸压、放气、下降等动作，皆能独立调整。
5. 油压控制采用逻辑回路，配管少，分析管亦少，不易漏油，压力永保恒定。
6. 设紧急下降开关，即能紧急停车及下降以保人员、模具及成品之安全。

1. The unique structural design of the fuselage, not broken, not deformation, prolong the service life of the machine.
2. Using PC and PLC controller, can operate independently, without mutual interference of containment.
3. The number of bleeding, bleeding time can be set free, the operation are very convenient adjustment.
4. Pressure relief, deflation, falling action, all can be adjusted independently.
5. Oil pressure control using logic circuit, less analysis of piping, pipe is also less, not easy to leakage, pressure keep constant.
6. Emergency lowering switch, can the emergency stop and drop to moulds and finished products protection personnel, the.



Jinjiang City
Huoju Hydraulic machine
Co.,Ltd.

Website:
www.qxyjx.com

E-mail:
quanxingjx@shoesnet.cn

EVA MINI FOAM MOULDING MACHINE

EVA小发泡成型机

04



技术参数/Technical Parameters:

Model 型号	Mould clamping force 油压缸总出力(Tons)	Mould space 热板尺寸(mmxmm)	Daylight between plates 间距(mm)	Layer number 层数	Heating way 加热方式	Horse power 马达(HP)
QXMD-6S-200T	200	600x600	250	3	蒸汽 Steam	20

EVA MINI FOAM MOULDING MACHINE


EVA小发泡成型机

05

EVA MINI FOAM MOULDING MACHINE • EVA小发泡成型机

技术参数/Technical Parameters:

Model 型号	Mould clamping force 油缸总出力(Tons)	Mould space 热板尺寸(mmxmm)	Daylight between plates 间距(mm)	Layer number 层数	Heating way 加热方式	Horse power 马达(HP)
QXMD-10S-150T	150	550x550	300	2	蒸汽, 导热油 (Steam, Oil)	20
QXMD-6S-150T	150	550x550	250	3	蒸汽, 导热油 (Steam, Oil)	20
QXMD-10S-200T	200	600x600	300	2	蒸汽, 导热油 (Steam, Oil)	20



EVA TWO-TIME FOAM MOULDING MACHINE


EVA二次发泡成型机

06

EVA TWO-TIME FOAM MOULDING MACHINE ■ EVA二次发泡成型机

技术参数/Technical Parameters:

Model 型号	Mould clamping force 油压缸总出力(Tons)	Mould space 热板尺寸(mm×mm)	Daylight between plates 间距(mm)	Layer number 层数	Heating way 加热方式	Horse power 马匹(HP)
QXMD-12S-35T	35	450×460	200	2	蒸汽、油加热 (Steam, Oil)	5.5



特性 Features :

1. 独特的机身结构设计，不断裂、不变形，延长机台寿命。
2. 采用PC和PLC控制器，可分别独立操作，互不干涉牵制。
3. 放气次数、放气时间可自由设定，操作调整均甚便捷。
4. 卸压、放气、下降等动作，皆能独立调整。
5. 油压控制采用逻辑回路，配管少，分析管亦少，不易漏油，压力永保恒定。
6. 设紧急下降开关，即能紧急停车及下降以保人员、模具及成品之安全。

1. The unique structural design of the fuselage, not broken, not deformation, prolong the service life of the machine.
2. Using PC and PLC controller, can operate independently, without mutual interference of containment.
3. The number of bleeding, bleeding time can be set free, the operation are very convenient adjustment.
4. Pressure relief, deflation, falling action, all can be adjusted independently.
5. Oil pressure control using logic circuit, less analysis of piping, pipe is also less, not easy to leakage, pressure keep constant.
6. Emergency lowering switch, can the emergency stop and drop to moulds and finished products protection personnel, the.



Jinjiang City
Huoju Hydraulic machine
Co.,Ltd.

Website:
www.qxyjx.com

E-mail:
quanxingjx@shoesnet.cn

AUTOMATIC HYDRAULIC PRESS MACHINE FOR RUBBER SOLE

全自动橡胶鞋底油压机

07



AUTOMATIC HYDRAULIC PRESS MACHINE FOR RUBBER SOLE

全自动橡胶鞋底油压机

技术参数/Technical Parameters:

Model 型号	Mould clamping force 油缸总出力(Tons)	Mould space 热板尺寸(mmxmm)	Daylight between plates 间距(mm)	Layer number 层数	Heating way 加热方式	Horse power 马达(HP)
QXRB-6A-150T	150	450x450	200	2	蒸汽, 电加热 (Steam, Electric)	15



Jinjiang City
Huoju Hydraulic machine
Co.,Ltd.

Website:
www.qxyjx.com

E-mail:
quanxingjx@shoesnet.cn

AUTOMATIC EVA TWO-TIME FOAM MOULDING MACHINE

AUTOMATIC EVA TWO-TIME FOAM MOULDING MACHINE ●
全自动EVA二次发泡成型机

全自动EVA二次发泡成型机

08

技术参数/Technical Parameters:

Model 型号	Mould clamping force 油压缸总出力(Tons)	Mould space 热板尺寸(mmxmm)	Daylight between plates 间距(mm)	Layer number 层数	Heating way 加热方式	Horse power 马达(HP)
QXMDA-35B	35	400x420	350	1	蒸汽 Steam	10+3
QXMDA-50C	50	680x500	350	1	蒸汽 Steam	10+3



Jinjiang City
Huoju Hydraulic machine
Co.,Ltd.

Website:
www.qxyjx.com

E-mail:
quanxingjx@shoesnet.cn



GOLD SERVICE. SHARE SUMPTUOUS

金牌服务 · 共享丰盛

公司在全国设立了15个驻外办事处和配件仓库。泉兴建立了一支高素质的服务队伍，实现了快速反应、客户回访、技术咨询、超值服务配件供应、员工客户培训等功能系统。泉兴机械专业精心的服务，赢得了国内外客户的良好口碑。

The company sets up 15 branch offices and accessory warehouses around the country. Quanxing has established a qualified service team to fast respond in customers' callback, technical consultation, value added service, accessories supplying, employees and staff training. Quanxing has earned great reputation from customers at home and abroad for its extensive services.



泉兴机械紧跟市场潮流，
不断调整发展策略。
在巩固现有渠道的基础上，
积极开拓新兴市场，
提高市场占有率。
为客户提供优质的产品，
赢得客户口碑。
专业团队服务：我们将与客户一起，
开创美好未来。
携手走向辉煌的明天！

泉兴精神 不断创新

Quanxing keep up with market trends,
constantly adjusting their development
strategies and in the
consolidation of existing channels
on the basis of depth of the
market and tap the quality
customers to capture key market for high-end,
quality products and
services dedicated to the
improvement of customer products.
Achievements recorded history,
professional training tomorrow!
We will work with clients together to create a new team,
with a brilliant future.

2014

QUANXING SPIRITUAL CONTINUOUS INNOVATION



Jinjiang City
Huoju Hydraulic machine
Co.,Ltd.
Website:
www.qxyyx.com
E-mail:
quanxingjx@shoesnet.cn

2014
Edition

泉兴机械

QUANXING
MACHINE

晋江市火炬油压机械有限公司
JINJIANG CITY HUOJU HYDRAULIC MACHINE CO.,LTD.

QUANXING

SPIRITUAL

CONTINUOUS

INNOVATION

泉兴精神 不断创新

QUANXING
MACHINE

泉兴机械
www.qxyyx.com

晋江市火炬油压机械有限公司
Jinjiang City Huoju Hydraulic machine Co.,Ltd.

福建华炬科技有限公司
Fujian HuaJu technology co., LTD.

福建省晋江市五里工业区中源路
Fujian Province, Jinjiang City Wuli Industrial
Zone Zhongyuan Road

电话/Tel: 0595-85734999 85731643 88165955 88165959
传真/Fax: 0595-85733788 手机/M.P.: 13505905730 13559551999

Website: www.qxyyx.com E-mail: quanxingjx@shoesnet.cn

© 中国专利: 0595-2210928 1350598051



泉兴机械
Quanxing Machine